



1. General Specifications

- 1.1. Hull Material: Aluminum
- 1.2. Hull Shape: Modified V
- 1.3. Propulsion: Inboard Jet
- 1.4. Internal Layout: Walk-Around Center Console Forward
- 1.5. Overall Length: 20'2"
- 1.6. Bow Tip To Transom Length: 18'5"
- 1.7. Bottom Width: 72"
- 1.8. Beam: 98"
- 1.9. Side Height: 30"
- 1.10. Deadrise: 6 Degree
- 1.11. Static Draft: 6 – 7"
- 1.12. Draft On Plane: 3"
- 1.13. Top Speed 45 – 49 mph
- 1.14. US Coast Guard Compliant Construction

2. Hull Specifications

- 2.1. AL 5052 Sheet Material (Ultimate Tensile Strength 33,000 psi)
- 2.2. AL 6061 Extrusions
- 2.3. .190" Bottom (.250" Optional)
- 2.4. .125" Sides, Step Bent For Structural Integrity
- 2.5. .125" Floor Panels
- 2.6. Raised Performance Jet Intake System (Dimensions: 13" Wide X 33" Long X 1.5" Deep)
- 2.7. Double Mig Welded (Inside & Outside) Hull Seams
- 2.8. Custom Build Heavy Duty Infrastructure
- 2.9. (8) Engineered, Laser Notched (To Reduce Weight & Provide Access To UHMW Hardware) C Channel Longitudinal Stringer Assemblies Resulting In (16) Continuously Welded Vertical Leg Stringers
- 2.10. Custom Build Floor Support Structure Welded To Stringers
- 2.11. Floor Panels Attached To Floor Support Structure Via 3M 540 & Aluminum Rivets
- 2.12. Extended Rear Swim Deck At Same Elevation As Rear Deck
- 2.13. Pump Protection Tubing (1 3/4" O.D., 0.125" WALL, AL) Connecting Swim Deck & Transom Reinforced With Cross Brace
- 2.14. Sliding Transducer Bracket Welded To Transom
- 2.15. Gunwale Grab Rails: Welded On (1 1/4" O.D. AL Tubing): 2 – 14.75", 4 – 36.75" (Optional)
- 2.16. Swim Deck Lip (Optional)
- 2.17. Swim Deck Railing (Optional)



375 New  
Holland Drive  
Suite A  
Belleville, PA  
17004  
USA

PHONE 717-935-2175  
EMAIL [info@riverraptorjetboats.com](mailto:info@riverraptorjetboats.com)  
WEBSITE [www.riverraptorjetboats.com](http://www.riverraptorjetboats.com)

- 2.18. Fold & Stow Boarding Ladder (Optional)
  - 2.19. Self-Baling Front & Rear Deck System That Removes Water From The Hull Envelope
  - 2.20. 2 Rear Deck Davit Crane Receptacles (Port & Starboard)
  - 2.21. Rear Deck Tow Tower Receptacle (Center Aft)
  - 2.22. 4 Rear Deck Tie-Down Tracks For D-Rings (4 D-Rings Included)
  - 2.23. 4 Front Tie-Down Pods For D-Rings (4 D-Rings Included)
  - 2.24. Cleats: 4 (Port & Starboard Front & Rear)
  - 2.25. Hull is of rugged, heavy-duty design to minimize damage from impact and abrasion as a result of contacting subsurface objects.
3. Internal Layout
- 3.1. Center Forward Console Design
  - 3.2. Walk Around Center Console With Windshield & Integrated Grab Rail (1 ¼" O.D. AL Tubing)
  - 3.3. Fore Console Jump Seat With Grab Handles & Incorporated Storage
  - 3.4. Bow Platform With Removeable Storage Bin – 76" X 21"
  - 3.5. Bow Step Box With Storage
  - 3.6. Quick Access Cockpit Gunwale Storage
  - 3.7. Sit / Lean Helm Seat At Operator's Station
  - 3.8. Rear Cockpit Bench Seat – 68" X 19"
  - 3.9. Port & Starboard Gunwale Top Access Storage With Removable Storage Bins
  - 3.10. Large Rear Work Deck – 93" X 52"
  - 3.11. 2 Rear Deck Storage Compartments With Removeable Storage Bins
  - 3.12. Rear Deck Engine Compartment Lid With Lifting Shocks
  - 3.13. 20.6" Swim Deck Extension With Grab Railing (1 ¼" O.D. AL Tubing)
  - 3.14. Bow Cap Access Panel
4. Drive System Specifications:
- 4.1. Engine: BRP Rotax 1630
    - 4.1.1. Horsepower: 300
    - 4.1.2. Supercharger
    - 4.1.3. External Intercooler
  - 4.2. Pump: BRP Rotax
    - 4.2.1. 160mm Diameter
    - 4.2.2. Axial Flow
    - 4.2.3. Cast Aluminum Reverse Bucket
    - 4.2.4. Stainless Steel Wear Ring
    - 4.2.5. Integrated Cooling Water Supply For Engine
  - 4.3. Wet Exhaust System
  - 4.4. 40 Gallon Aluminum Cross-Hull Fuel Tank To Maximize Fuel Capacity & Watercraft Stability
5. Electrical Specifications



375 New  
Holland Drive  
Suite A  
Belleville, PA  
17004  
USA

PHONE 717-935-2175  
EMAIL [info@riverraptorjetboats.com](mailto:info@riverraptorjetboats.com)  
WEBSITE [www.riverraptorjetboats.com](http://www.riverraptorjetboats.com)

- 5.1. Rear Starboard Storage Located Electrical Center Containing:
    - 5.1.1. DEKA DKADP24 Starting Battery: 550 CCA, 120 Reserve Capacity At 25 Amps (Lithium OR AGM Battery Optional)
    - 5.1.2. Engine Fuse Box
    - 5.1.3. BRP Rotax JPS BUDS Engine Data & Diagnostic System With Diagnostic Plug
    - 5.1.4. Main Electrical Panel Containing:
      - 5.1.4.1. Main Electrical Disconnect
      - 5.1.4.2. Positive Terminal Stud / Disconnect Circuit
      - 5.1.4.3. Positive Terminal Stud / Always On
      - 5.1.4.4. Ground Terminal Stud
      - 5.1.4.5. ATO Fuse Box
      - 5.1.4.6. CZONE Digital Switching Powder Distribution System
  - 5.2. BRP Rotax Helm Mounted Instrument Cluster
    - 5.2.1. Multifunction Touch Display: Clock, Fuel Level, Speed, Engine RPM, Engine Temperature, Fuel Consumption Rate (Instant), Compass, Hour Meter
    - 5.2.2. Indicator Lights: High Engine / Exhaust Temperature, High / Low Battery Voltage, Maintenance Required / Fault Code, Low Fuel, Low Oil Pressure, Check Engine
    - 5.2.3. INR Override
    - 5.2.4. INR Adjustment
    - 5.2.5. Cole Hersee Key Switch
  - 5.3. 1 – 2 Helm Mounted CZONE Switch Panel(s)
    - 5.3.1. Fused Switches:
      - 5.3.1.1. Blower
      - 5.3.1.2. Navigation Lights
      - 5.3.1.3. Manual Bilge
      - 5.3.1.4. Auxiliary/Lighting & Accessories As Needed
  - 5.4. 12V Receptacle
  - 5.5. Helm Mounted Kill Switch With Lanyard (Fell Marine MOB Wireless Option Available)
  - 5.6. 4" Marine Bilge Blower
  - 5.7. Dual 900gph Bilge Pumps
  - 5.8. Side Hull Recessed LED Front Navigation Lights
  - 5.9. Rear Post Anchor Light
  - 5.10. Sealed Amphinol Electrical Connectors At Electrical Harness Junctions & Terminals
6. Controls Specifications
- 6.1. 135 Degree Helm Steering
  - 6.2. Livorsi INR (Intelligent Neutral & Reverse) Throttle / Shift Control



375 New  
Holland Drive  
Suite A  
Belleville, PA  
17004  
USA

PHONE 717-935-2175  
EMAIL [info@riverraptorjetboats.com](mailto:info@riverraptorjetboats.com)  
WEBSITE [www.riverraptorjetboats.com](http://www.riverraptorjetboats.com)

- 6.2.1. Single Lever/Dual Function
- 6.2.2. Port Side Console Mount
- 6.2.3. Start In Gear Protection
- 7. Deck Hardware
  - 7.1. Hatch Latches – Lockable “T-Handle”
  - 7.2. Stainless Steel Hardware
  - 7.3. Stainless Steel Deck Lid Hinges
- 8. Topside Finish
  - 8.1. Paint
    - 8.1.1. Sikkens Polyurethane Industrial Coating
    - 8.1.2. Paint Color – Customer Provided Paint Code
    - 8.1.3. All Walking Surfaces Have Form Coat Non-Slip Coating Except When Other Non-Slip Marine Flooring Is Requested (AquaTraction Available)
  - 8.2. Decals
    - 8.2.1. Rescue Raptor Side Decals
    - 8.2.2. River Raptor Console Logo
- 9. Additional Options & Accessories Are Available Upon Request
- 10. 3D Model & 2D Technical Drawings
  - 10.1. A 3D AutoCAD Inventor Model Will Be Made Available Upon Request For Project Approval Prior To Project Construction
  - 10.2. 2D Drawings Will Be Made Available For Project Approval Prior To Project Construction
- 11. Training
  - 11.1. A qualified, manufacturer authorized and trained service representative can offer training at the request of the customer. This training will be at the cost of the customer.
- 12. Commercial Use Warranty
  - 12.1. Scope – Entire Body & Accessories
  - 12.2. Time Period – 1 Year
  - 12.3. Guarantee – Free Of Original Material & Workmanship Defects



375 New  
Holland Drive  
Suite A  
Belleville, PA  
17004  
USA

PHONE 717-935-2175  
EMAIL [info@riverraptorjetboats.com](mailto:info@riverraptorjetboats.com)  
WEBSITE [www.riverraptorjetboats.com](http://www.riverraptorjetboats.com)






**RAPTOR**  
DESIGN & ENGINEERING

375 New  
Holland Drive  
Suite A  
Belleville, PA  
17004  
USA

PHONE 717-935-2175  
EMAIL [info@riverraptorjetboats.com](mailto:info@riverraptorjetboats.com)  
WEBSITE [www.riverraptorjetboats.com](http://www.riverraptorjetboats.com)






**RAPTOR**  
DESIGN & ENGINEERING

375 New  
Holland Drive  
Suite A  
Belleville, PA  
17004  
USA


PHONE 717-935-2175  
EMAIL [info@riverraptorjetboats.com](mailto:info@riverraptorjetboats.com)  
WEBSITE [www.riverraptorjetboats.com](http://www.riverraptorjetboats.com)

**OTHER BUILD NOTES:**


- RED COCKPIT AND INTERIOR DECK LIGHTS
- BLUE TRANSOM DIVE LIGHTS
- FISHMASTER PRO T-TOP W/ BLACK TOP
- CUSTOM (MATCHED) PAINT
- AQUATRACITION - TED
- RADIOS FLUSH MOUNTED UNDER CONSOLE (CUSTOMER SUPPLIED PANEL)
- CUSTOM CONSOLE HEIGHT - RAISED 3-4" FROM STANDARD



**REAR VIEW**  
SCALE 1:12



**TOP VIEW**  
SCALE 1:12






**SIDE VIEW**  
SCALE 1:12

DESIGNED BY R. P. LEAK	CHECKED BY R. P. LEAK	DATE 11/20/14	PROJECT NO. D0124	REVISED BY NA, LD	REVISED DATE 11/20/14	REVISED DESCRIPTION 30\"/>
---------------------------	--------------------------	------------------	----------------------	----------------------	--------------------------	-------------------------------





BUILD DETAILS	
ITEMS	VALUE
MODEL	SR - XD
LENGTH	20'
WIDTH	72"
ENGINE	300 HP, ROTAX
BOTTOM THK	0.250
STAR. LOCK, ROD STORAGE	STANDARD
PORT LOCK, ROD STORAGE	STANDARD
CONSOLE GRAB RAIL	YES
GUNNEL RAILING	NO
STOMP GRATE	HELM
BOTTOM UP/W	YES
SIDE UP/W	YES
TRAILER	DUAL



DESIGNED BY R. P. LANK	CHECKED BY R. P. LANK	DATE 11/20/2014	SCALE AS SHOWN	PROJECT NO. D0124	CLIENT PERRYSSBURG	ENGINE 3073 BR 42 BRANCH AND BRANCH MODELS WITH SELF-BAILING FRONT AND BACK DRINK SYSTEM	SHEET 28 OF 30	<b>RAPTOR</b> Boats & Equipment
---------------------------	--------------------------	--------------------	-------------------	----------------------	-----------------------	---	----------------	------------------------------------



## **Rescue Raptor SR-XD Base Price:**

- 2025 Rescue Raptor SR-XD 2072- 300HP BRP Rotax: \$68,985.00

## **Rescue Raptor SR-XD Options Pricing:**

- Helm Lever Actuated Stomp Grate: \$1,500.00
- Helm Air Actuated Stomp Grate: \$1,500.00
- Gunwale Railing: \$450.00
- Swim Deck Lip: \$195.00
- Swim Deck Railing: \$375.00
- Fold & Stow Telescopic Swim Deck Boarding Ladder: \$950.00
- LED Cockpit & Deck Lighting Package: \$650.00
- Bow-Integrated Recessed Light Bars (Docking Lights) - (3) Bluewater Led light bars: \$1,485.00
- Transom Mounted Underwater Dive Lights (Pair - Single Color): \$925.00
- Transom Mounted Underwater Dive Lights (Pair - Dual Color): \$1,600.00
- .250" Bottom Thickness: \$1,750.00
- Full 1/2" UHMW Polyethylene Bottom Coating (72" Bottoms): \$4,750.00
- Keel 1/2" UHMW Polyethylene Bottom Coating: \$1,900.00
- Side 1/2" UHMW Polyethylene Bottom Coating: \$800.00
- AquaTraction Deck Coating (72" Bottoms): \$3,950.00
- Standard Paint - See Chart Below - (Black, Sting Gray, Bright White, Granite Crystal Metallic, Billet Silver Metallic, Hydro Blue Metallic, Gator, Gobi): No Additional Cost
- Optional Paint - See Chart Below - Firecracker Red: \$650.00
- Custom Paint (Customer Supplied Paint Code): \$350.00
- Blackout Package (Black Navigation Light Bases, Black Lid Hinges, Optional Black Latch Pulls): \$175.00

- Oz Lifting Products CompOZite Elite Davit Crane Package (Crane, Winch, Synthetic Rope w/Hook & Receptacle Bushing): \$3,995.00
- Tow Tower: \$450.00
- Compact Light Tower: \$2,900.00
- Fishmaster Pro Series folding T-Top: \$3,100.00
- Fishmaster Pro Series Leaning Post: \$1,200.00
- Fishmaster Pro Series Leaning Post Backrest: \$400.00
- Fishmaster Pro Series Storage Bag: \$85.00
- T-Top Mounted Communications Box (Holds 2 Radios): \$900.00
- Marine USCG Approved Fire Extinguisher: \$75.00
- Load Rite LR-AS20T4200102TSVG2 Trailer- 4200lb Capacity Dual Axle Aluminum I-Beam Trailer w/Brakes, Aluminum Wheels, Spare Wheel & Tire w/Carrier, Plastic Bunk Covers, Carpeted Side Guides, LED Lights, Jack, Retractable Tie Downs: \$6,645.00
- River Raptor Custom Aluminum Roller Dual Axle Trailer W/ Brakes 5500LB Capacity: \$8,995.00
- LED Trailer Accent Lighting: \$375.00
- Pricing For Marine Accessories (Graphs, LED Lighting, Emergency Lighting, Battery Chargers, Batteries Etc.) Available Upon Request.